



Certificate of Participation

This is to certify that ISAG Institutional Member

**Laboratorio di Biotecnologie Genetiche Università di Pisa
PISA TOSCANA, Italy**

has participated in the

2020-2021 International Dog STR Typing Comparison Test

with the following result:

Absolute genotyping accuracy rank: 1

Total number of participating labs: **74**

Absolute genotyping Accuracy	
Rank	% Labs
1: 100% – 98%	77
2: 97.9% – 95%	10.8
3: 94.9% – 90%	5.4
4: 89.9% – 80%	5.4
5: Below 80%	1.4

THE SCORING SYSTEM:

Based on the twenty-one (21) ISAG recommended Dog STR DNA Markers (AHT121, AHT137, AHTh130, AHTh171, AHTh260, AHTk211, AHTk253, AMEL, CXX279, FH2848, INRA21, INU005, INU030, INU055, REN105LO3, REN162C04, REN169D01, REN169O18, REN247M23, REN54P11, REN64E19)

Absolute genotyping accuracy (Aga): $(Nga - Gea) / Nga$ (as percentage) considers the total number of discrepancies, that is genotyping errors and “blanks” (no genotype reported)

Nga: total number of expected genotypes (reference samples not included)

Gea: total number of genotype errors, including blanks

President: Dr. Clare Gill

Secretary: Dr. Sofia Mikko

ISAG is a scientific society that provides a forum for the exchange of information, methods and materials between members and for standardization of genotyping nomenclature. ISAG is not involved in the accreditation of service genotyping laboratories or institutions and ISAG does not regard participation in its Comparison Tests as indicating that a laboratory is internationally accredited. This certificate reflects the laboratory performance in the specific comparison test.